

switzerland



12mm



SWISS KRONO

THE ORIGINAL SWISS FLOOR



12mm

 SWISS KRONO

HF013CK



HF017CK



HF011CK



HF012CK



12mm







Technical Data

Technical Specification






Test Standard	Test Institute	Test	Results
EN 13329	WKI	Resistance to Impact test	Impact Test Category NK 23-31: IC1, NK 32: IC2, NK 33: IC3
EN 120	WKI	Externally controlled Formaldehyde Test	E1 HDF
EN 13329	WKI	Resistance to staining	Group 1-2: Level 5, Group 3: Level 4
EN 13329	WKI	Resistance to light	Blue wool scale: not worse than 6, Grey Matter: No worse than 4
EN 13329	WKI	Resistance to burning cigarette	Level 4
EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	MPA	Reaction to Fire	Flame-retardant, Building Class Cfl-s1
EN 13329	WKI	Effect of a moving Furniture coaster	No visible reaction to coaster type 0
EN 13329	WKI	Wheelchair Test	No visible changes or damage, as defined in EN 425
DIN 52612	eph	Thermal Conductivity	$\lambda_{10,ir} = 0,17 \text{ W/m}\cdot\text{K}$, Suitable for underfloor heating (medium; water)
		Disposal	Disposal as per household waste

Further information can be found at: www.kronospan.com

Utilisation Categories

	little utilisation	medium utilisation	intensive utilisation
living	 AC 1 / Kl. 21 bed-, guestrooms	 AC 2 / Kl. 22 living-, dining rooms	 AC 3 / Kl. 23 kitchen, entrance halls
commercial	 AC 3 / Kl. 31 hotel rooms, small offices	 AC 4 / Kl. 32 offices, boutiques	 AC 5 / Kl. 33 stores, corridors

Symbols

 suitable for Bedrooms	 suitable for kitchens	 suitable for office space
 suitable for Living rooms	 suitable for dining areas	 suitable for hotels
		 suitable for shops

Kronoswiss® Limited Residential Warranty

Kronoswiss® offers some of the best consumer warranties in the industry. For the complete warranty details and terms please visit www.kronoswiss.com



The mark of responsible forestry. Look for FSC certified products.

